

## **Carton (label-leaflet)**

Front of pack (second panel from the left)

**Oraldene<sup>®</sup>**

**ICEMINT**

Hexetidine

Medicated Relief for Mouth & Throat Infections

Antibacterial Mouthwash to relieve

*gingivitis*  
*mouth ulcers*  
*sore gums*  
*sore throat*

200 ml e

Back panel (fourth panel from the left)

**Oraldene<sup>®</sup>**

**ICEMINT**

Hexetidine

### **What the medicine is for**

The mouthwash contains hexetidine, which is an antibacterial and antifungal and is used to help treat throat and mouth infections, including mouth ulcers, thrush, sore or bleeding gums (called gingivitis), bad breath (halitosis) or sore throat. It can also be used before and after dental surgery to help prevent infections.

### **Before using this medicine**

This medicine is suitable for most people, but a few people should not use it. If you are in any doubt, talk to your doctor or pharmacist.

### **X Do not use this medicine...**

■ If you have ever had a bad reaction to Oraldene Icemint or any of its ingredients. If this applies to you, get advice from your doctor or pharmacist without using Oraldene Icemint.

### **! If you are pregnant or breast-feeding**

■ Ask your doctor or pharmacist for advice before using Oraldene if you are pregnant or breast-feeding.

**! Excipients with known effect**

■ This medicine contains 607.8 mg of alcohol (ethanol) in each 15 ml. The amount in 15 ml of this medicine is equivalent to less than 15 ml beer or 6 ml wine. The small amount of alcohol in this medicine will not have any noticeable effects. ■ This medicine contains less than 1 mmol sodium (23 mg) per 15 ml, that is to say essentially 'sodium-free'.

Left panel (first panel from the left)

**How to use this medicine**

Check the table below to see how much medicine to use.

**Children under 12 years old**

Oraldene is not recommended for children under 12 years of age.

**Adults and Children aged 12 years and over**

Age	Dose
Adults and children aged 12 years and over	Rinse the mouth or gargle for 30 seconds with at least 15 ml (approx. 1 tablespoonful) of undiluted Oraldene Icemint two to three times a day or as otherwise directed.
■ <b>Do not swallow.</b> ■ <b>Shake well before use.</b> ■ <b>If symptoms persist discontinue use and talk to your doctor or dentist.</b>	

**! If anyone accidentally swallows this product**

Contact a doctor or your nearest Accident and Emergency department (Casualty) taking this pack with you.

**! If you forget to use the medicine**

Use the next dose as soon as you remember unless it is time to use it again. Do not use two quantities in one go.

This carton was revised September 2022

Oraldene is a registered trademark.

© McNeil Products Limited 2022

Product Licence holder: McNeil Products Ltd, High Wycombe, HP12 4EG.

Manufacturer: Delpharm Orléans, 5 avenue de Concyr, 45071 Orleans, Cedex 2, France.

PL 15513/0107



Right panel (third panel from the left)

### **Possible side-effects**

Like all medicines, Oraldene Icemint can cause side effects although not everybody gets them. If you experience the following, stop using the medicine and talk to your doctor:

- Swelling of the face, lips, mouth, tongue or throat which may cause difficulty in swallowing or breathing
- Allergic reactions including itchy rash ■ Irritation, tingling or numbness of the tongue or inside the mouth
- Shortness of breath ■ Cough ■ Dry mouth ■ Feeling sick (nausea) ■ Sickness (vomiting) ■ Salivary gland enlargement ■ Taste disturbance or loss of taste ■ Pain, swelling, redness or heat ■ Tongue or tooth discolouration ■ Blistering or ulceration

### **Reporting of side-effects**

If you get any side-effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this carton. You can also report side-effects directly via the Yellow Card Scheme at: [www.mhra.gov.uk/yellowcard](http://www.mhra.gov.uk/yellowcard) or search for MHRA Yellow Card in the Google Play or Apple App Store.

By reporting side-effects you can help provide more information on the safety of this medicine.

### **Storing this medicine**

Do not use if bottle seal is broken when purchased.

Store below 30°C.

Use within 6 months of opening.

Keep the bottle in the outer carton in order to protect from light.

Keep this medicine out of the sight and reach of children.

Do not use this medicine after the expiry date which is stated on the label. The expiry date refers to the last day of that month.

Retain carton for full instructions.

Do not throw away any medicines via wastewater or household waste. Ask your pharmacist how to throw away medicines you no longer use. These measures will help protect the environment.

### **Further information**

#### **What's in this medicine?**

The active ingredient is: Hexetidine 0.1 g/100 ml Other ingredients are: Polysorbate 60, citric acid, saccharin sodium, ethanol 96%, quinoline yellow (E104), patent blue V (E131), levomenthol, sodium calcium edetate, sodium hydroxide (E524) and purified water.

#### **What the medicine looks like**

Oraldene Icemint is a clear blue-green solution available in 200 ml bottles. It contains 0.1 g of the active ingredient in every 100 ml of medicine.

Top panel

**Oraldene®**

**ICEMINT**

Hexetidine

Medicated Relief for Mouth & Throat Infections

200 ml e

LOT:

EXP:

## **Label**

Front of pack

**Oraldene<sup>®</sup>**

**ICEMINT**

Hexetidine

Medicated Relief for  
Mouth & Throat  
Infections

Antibacterial

Mouthwash to relieve

*gingivitis mouth ulcers*

*sore gums sore throat*

200 ml e

Left panel

**CONTENTS:** The solution contains Hexetidine 0.1 g/100 ml. Other ingredients: Polysorbate, saccharin sodium, citric acid, quinoline yellow, patent blue V, levomenthol, sodium calcium edetate, sodium hydroxide (E524), ethanol 96% and purified water.

Oraldene Icemint has an antibacterial and antifungal action which relieves mouth and throat infections. It can also be used before and after dental surgery.

Store below 30°C. Use within 6 months of opening.

Keep the bottle in the outer carton in order to protect from light.

Read and retain carton for full instructions.

**Oraldene is a registered trademark.**

PL holder: McNeil Products Ltd, High Wycombe, HP12 4EG.

PL 15513/0107



Right panel

Do not use if bottle seal is broken when purchased.

Keep out of the sight and reach of children.

**DIRECTIONS: Mouthwash for topical use only.**

**DO NOT SWALLOW. SHAKE WELL BEFORE USE.**

**ADULTS AND CHILDREN 12 YEARS AND OLDER:**

Rinse the mouth or gargle for 30 seconds with at least 15 ml (approx. 1 tablespoonful) of undiluted Oraldene Icemint 2 to 3 times a day.

**CHILDREN UNDER 12 YEARS - not recommended.**

If symptoms persist discontinue use and talk to your doctor or dentist.

**LOT:**

**EXP:**