Cutter Guide
Bleed
Text Area
Print Free area


Representation of data matrix code and human readable data printed black online v15

2D code

PC: (8)GTIN
EXP: MM/YYYY
Lot: Batch Number
UK Only

Note to artworker:
Batch prompts as word doc or ref file, send for Technical Approval (no TA for BST).
Check market specific guides
Multipack Nordic GTIN must be different to carton
Remove 'Note to artworker' after receiving TA

Braille reads:- salbutamol tablets 4 mg



Height 30mm

Salbutamol tablets

28 tablets
For oral use

4 mg

Each tablet contains 4.8mg salbutamol sulfate equivalent to 4mg salbutamol. For oral administration.
Also contains lactose, E122-see leaflet for details.
Use as directed by physician. Keep out of the sight and reach of children. Read the package leaflet before use.
Store below 25°C in a dry place.
PL 0142/0486
51037831_BBBC4093

accord
Accord, Barnstaple, EX32 8NS, UK

Base Label - 120mm

PEEL HERE

Overall Laminate Area - 101mm

Height 30mm

Salbutamol 4mg tablets
Salbutamol sulfate

Read all of this leaflet carefully before you start taking this medicine because it contains important information for you.
- Keep this leaflet. You may need to read it again.
- If you have any further questions, ask your doctor or pharmacist.
- This medicine has been prescribed for you only. Do not pass it on to others. It may harm them, even if their signs of illness are the same as yours.

Page 2

- If you get any side effects, talk to your doctor or pharmacist.
This includes any possible side effects not listed in this leaflet. See section 4.

What is in this leaflet
1. What Salbutamol tablets are and what they are used for
2. What you need to know before you take Salbutamol tablets
3. How to take Salbutamol tablets
4. Possible side effects
5. How to store Salbutamol tablets
6. Contents of the pack and other information

Page 3

1. What Salbutamol tablets are and what they are used for
Salbutamol tablets belong to a group of medicines called selective beta-2-adrenergic agonists, which can be used to relax the muscles of the airways and womb. Salbutamol tablets may be used in:
- asthma, to relieve the narrowing of the airways
- chronic bronchitis
- emphysema.

2. What you need to know before you take Salbutamol tablets
Do not take Salbutamol tablets and **tell** your doctor if you:

Page 4

- are **allergic** to salbutamol or any of the other ingredients of this medicine (listed in section 6)
- have **threatened abortion (potential miscarriage)** during the **first six months** of pregnancy
- are taking **beta-blockers** such as propranolol.

Warnings and precautions
Talk to your doctor or pharmacist before taking Salbutamol tablets if you have:
- an **overactive thyroid** gland (thyrotoxicosis)
- **diabetes**

Page 5

- a history of **heart disease, irregular heart rhythm** or **angina.**
Although it is not known exactly how often this happens, some people occasionally experience chest pain (due to heart problems such as angina) or difficulty breathing. Tell your doctor/midwife if you develop these symptoms whilst receiving treatment with salbutamol, but do not stop using this medicine unless told to do so.

Other medicines and Salbutamol tablets
Tell your doctor or pharmacist if you are taking, have recently taken or might take any other medicines. Especially:

Page 6

- monoamine oxidase inhibitors e.g. tranylcypromine (for depression)
- tricyclic antidepressants e.g. clomipramine (for depression)
- beta-blockers such as propranolol
- corticosteroids
- diuretics
- digoxin (for heart problems)
- xanthines such as theophylline, aminophylline (for asthma).

Page 7

Pregnancy and breast-feeding
If you are pregnant or breast-feeding, think you may be pregnant or are planning to have a baby, ask your doctor or pharmacist for advice before taking this medicine.

Salbutamol tablets contain lactose and carmoisine (E122)
If you have been told by your doctor that you have an intolerance to some sugars contact your doctor before taking this medicine.

Salbutamol tablets contain carmoisine (E122) which may cause allergic reactions.

Page 8

Information on sodium content
This medicine contains less than 1 mmol sodium (23mg) per tablet, that is to say essentially 'sodium-free'.

Tests
If you have severe asthma, your doctor may monitor you more closely by carrying out certain tests.

3. How to take Salbutamol tablets
Always take Salbutamol tablets exactly as your doctor has told you. If you are not sure, check with your doctor or pharmacist.

Page 9

Swallow the tablets **with water.**
If you notice the tablets are not working as well as before, contact your doctor for advice.
- **Adults:** The recommended dose is 4mg three or four times a day. Your doctor may increase this gradually up to a maximum of 8mg three or four times a day. Some patients may be treated successfully with 2mg three or four times a day.
- **The elderly or patients known to be sensitive to this product or other similar drugs:** The recommended dose is initially 2mg three or four times a day.
- **Children 2-6 years:** The recommended dose is 1-2mg three or four times a day.

Page 10

Height 30mm

- **Children 6-12 years:** The recommended dose is 2mg three or four times a day.
- **Children over 12 years:** The recommended dose is 2-4mg three or four times a day.
- **Children under 2 years:** Not recommended.

If you take more Salbutamol tablets than you should
If you (or someone else) swallow a lot of tablets at the same time, or you think a child may have swallowed any, contact your nearest hospital casualty department or tell your doctor immediately. Symptoms of an overdose include low levels of potassium in the blood which may cause muscle twitching or weakness and an irregular heart beat.

Page 11 - 70mm

If you forget to take Salbutamol tablets
Do not take a double dose to make up for a forgotten dose. If you forget to take a dose take it as soon as you remember it and then take the next dose at the right time.

4. Possible side effects
Like all medicines, this medicine can cause side effects, although not everybody gets them.

Stop taking Salbutamol tablets and contact your doctor immediately if you experience:

Page 12 - 70mm

- an **allergic reaction** such as swelling of the face, lips, throat or tongue, pale or red irregular raised patches with severe itching (hives), difficulty breathing, low blood pressure, collapse
- **chest, jaw or shoulder pain** (which may be accompanied with shortness of breath, feeling or being sick)
- **difficulty breathing when lying flat,** wheezing, clammy skin
- **irregular heart beat**
- **low blood potassium** (hypokalaemia) indicated by fatigue, muscle spasms
- **increased lactic acid in the body** (weakness, rapid breathing, stomach pain).

Page 13 - 70mm

Tell your doctor if you notice any of the following effects or if you notice any not listed:
Common (may affect up to 1 in 10 people)
- tremor, headache, dizziness; heart beating much faster than normal, palpitations; feeling sick; muscle cramps.

Uncommon (may affect up to 1 in 100 people)
- increased blood sugar levels (hyperglycaemia).

Page 14 - 70mm

Very Rare (may affect up to 1 in 10,000 people)
- widening of blood vessels which can cause an increase in heart function and heart rate; feeling of restlessness and inability to stay still (akathisia); hyperactivity.

Not known (frequency cannot be estimated from the available data)
- being sick; metabolic changes, muscle tension; sleep disturbances.

Reporting of side effects
If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via the Yellow Card Scheme at: www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side effects you can help provide more information on the safety of this medicine.

Page 15 - 70mm

5. How to store Salbutamol tablets
Keep this medicine out of the sight and reach of children.
Store below 25°C in a dry place.
Do not use Salbutamol tablets after the expiry date stated on the label/carton/bottle. The expiry date refers to the last day of that month.
Do not throw away any medicines via wastewater or household waste. Ask your pharmacist how to throw away medicines you no longer use.

Page 16 - 70mm

These measures will help protect the environment.

6. Contents of the pack and other information
What Salbutamol tablets contain
- The active substance (the ingredient that makes the tablets work) is salbutamol sulfate. Each tablet contains 4.8mg of the active ingredient equivalent to 4mg salbutamol.
- The other ingredients are maize starch, lactose monohydrate, pink pigment blend (erythrosine (E127), carmoisine (E122), titanium dioxide (E171)), sodium starch glycollate, talc, magnesium stearate.

Page 17 - 70mm

What Salbutamol tablets look like and contents of the pack
Salbutamol tablets are pink, circular, flat bevelled edge, uncoated tablets with the identifying letters 'C' and '58' on one side. Nominal diameter 8.5mm.

Pack size is 28.

Marketing Authorisation Holder and Manufacturer
Accord, Barnstaple, EX32 8NS, UK

This leaflet was last revised in December 2025

accord
Accord, Barnstaple, EX32 8NS, UK

Page 18 - 73mm

Salbutamol tablets

28 tablets
For oral use

4 mg

Each tablet contains 4.8mg salbutamol sulfate equivalent to 4mg salbutamol.
For oral administration. Also contains lactose, E122-see leaflet for details. Use as directed by physician.
Keep out of the sight and reach of children.
Read the package leaflet before use.
Store below 25°C in a dry place.
PL 0142/0486
51037831_BBBC4093

5 012617 008930

accord
Accord, Barnstaple, EX32 8NS, UK

POM

10mm text free to left of pharmacode
Pharmacode Area (12 x 26mm)
10mm text free to right of pharmacode
Bleed off by 2mm at bottom of page

Page 1 - 75mm