

P2440T

Package leaflet: Information for the user

Dentalieve[®] Toothache Relief Gel Clove oil 20% w/w

Read all of this leaflet carefully before you start using this medicine because it contains important information for you.

Always use this medicine exactly as described in this leaflet or as your doctor or pharmacist has told you.

Keep this leaflet. You may need to read it again.

Ask your pharmacist if you need more information or advice.

If you get any side effects, talk to your doctor or pharmacist. This includes any possible side effects not listed in this leaflet. See section 4.

What is in this leaflet:

1. What Dentalieve Toothache Relief Gel is and what it is used for
2. What you need to know before you use Dentalieve Toothache Relief Gel
3. How to use Dentalieve Toothache Relief Gel
4. Possible side effects
5. How to store Dentalieve Toothache Relief Gel
6. Contents of the pack and other information

1. What Dentalieve Toothache Relief Gel is and what it is used for

This medicine contains the active ingredient Clove Oil which is a mild analgesic and surface anaesthetic used for the temporary relief of toothache due to a dental cavity.

2. What you need to know before you use Dentalieve Toothache Relief Gel**Do not use Dentalieve Toothache Relief Gel:**

- If you are allergic to Clove Oil, Eugenol, Peru Balsam or any of the other ingredients of this medicine (listed in section 6)
- If you think you may have an abscess
- In infants or for teething pain in children.

Warnings and precautions:

- Not recommended for use in children under 2 years of age
- Prolonged use of this product should be avoided
- Dental attention should be sought as soon as possible
- Care should be taken to ensure that the gel is applied directly onto the troublesome tooth and not to the gums or mouth.

Other medicines and Dentalieve Toothache Relief Gel:

Check with your doctor or pharmacist before using this gel if you are taking a medicine to prevent blood clotting such as warfarin.

Pregnancy and breast-feeding:


Dentalieve Toothache Relief Gel should not be used during pregnancy or whilst breast-feeding unless your doctor has told you to do so. If you are pregnant or breast-feeding, think you may be pregnant or are planning to have a baby, ask your doctor or pharmacist for advice before using this medicine.

Dentalieve Toothache Relief Gel contains propylene glycol:

This medicine contains 77.5% propylene glycol which may cause gum or skin irritation.

Crescent
PHARMA LIMITED

Product:	Toothache Relief Gel (Crescent Manufacturing)
Item Code:	P2440T
Size:	180mm x 115mm

Colours Used	
	Keyline - does not print



PROCESS
BLACK

P2440T

3. How to use Dentalieve Toothache Relief Gel

For dental use:

Adults, the Elderly and Children over 2 years of age:

Apply a little gel accurately to the decayed part of the tooth using either a clean fingertip, or a cotton wool bud. Repeat after 20 minutes and then every 2 hours if necessary.

Not recommended for use on infants under 2 years of age.

If you have used too much gel or accidentally swallowed the gel:

Contact your doctor for advice.

4. Possible side effects

Like all medicines, this medicine can cause side effects, although not everybody gets them.

Contact of the gel with the skin, gums or mouth may cause temporary irritation, inflammation or ulceration. You may also become sensitive to Clove Oil.

Reporting of side effects

If you get any side effects, talk to your doctor, pharmacist or nurse.

This includes any possible side effects not listed in this leaflet.

You can also report side effects directly via the Yellow Card Scheme at www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side effects you can help provide more information on the safety of this medicine.

5. How to store Dentalieve Toothache Relief Gel

Keep this medicine out of the sight and reach of children.

Do not use this medicine after the expiry date which is stated on the carton or label after EXP. The expiry date refers to the last day of that month.

Do not store above 25°C.

Do not throw away any medicines via wastewater or household waste.

Ask your pharmacist how to throw away medicines you no longer use.

These measures will help protect the environment.

6. Contents of the pack and other information

What Dentalieve Toothache Relief Gel contains:

The active ingredient is Clove Oil 20% w/w. The other ingredients are Carbomers, Triethanolamine, Propylene Glycol and Peppermint Essence (containing Peppermint Oil and Propylene Glycol).

What Dentalieve Toothache Relief Gel looks like and contents of the pack:

Dentalieve Toothache Relief Gel is a clear, pale yellow gel. This medicine is available in a pack size of 10g.

Marketing Authorisation Holder and Manufacturer:

The Marketing Authorisation Holder is Crescent Pharma Limited, Key House, Sarum Hill, Basingstoke, RG21 8SR, UK.

The manufacturer is Crescent Manufacturing Ltd., Cunard Road, Park Royal, London, NW10 6PN, UK.


This leaflet was last revised in October 2025.

If you would like this leaflet in a different format please contact the Marketing Authorisation holder at the above address.

DK.RG.UK.LY120.10.2025

Crescent
PHARMA LIMITED

Product:	Toothache Relief Gel (Crescent Manufacturing)
Item Code:	P2440T
Size:	180mm x 115mm

Colours Used	
	Keyline - does not print



PROCESS
BLACK

Dentalieve Toothache Relief Gel

Read all of this leaflet carefully before you start using this medicine because it contains important information for you.

Always use this medicine exactly as described in this leaflet or as your doctor or pharmacist has told you.

Keep this leaflet. You may need to read it again.

Ask your pharmacist if you need more information or advice.

If you get any side effects, talk to your doctor or pharmacist. This includes any possible side effects not listed in this leaflet. See section 4.

What is in this leaflet:

1. What Dentalieve Toothache Relief Gel is and what it is used for
2. What you need to know before you use Dentalieve Toothache Relief Gel
3. How to use Dentalieve Toothache Relief Gel
4. Possible side effects
5. How to store Dentalieve Toothache Relief Gel
6. Contents of the pack and other information

1. What Dentalieve Toothache Relief Gel is and what it is used for

This medicine contains the active ingredient Clove Oil which is a mild analgesic and surface anaesthetic used for the temporary relief of toothache due to a dental cavity.

2. What you need to know before you use Dentalieve Toothache Relief Gel

Do not use Dentalieve Toothache Relief Gel:

- If you are allergic to Clove Oil, Eugenol, Peru Balsam or any of the other ingredients of this medicine (listed in section 6)
- If you think you may have an abscess
- In infants or for teething pain in children.

Warnings and precautions:

- Not recommended for use in children under 2 years of age
- Prolonged use of this product should be avoided
- Dental attention should be sought as soon as possible
- Care should be taken to ensure that the gel is applied directly onto the troublesome tooth and not to the gums or mouth.

Other medicines and Dentalieve Toothache Relief Gel:

Check with your doctor or pharmacist before using this gel if you are taking a medicine to prevent blood clotting such as warfarin.

Pregnancy and breast-feeding:

Dentalieve Toothache Relief Gel should not be used during pregnancy or whilst breast-feeding unless your doctor has told you to do so. If you are pregnant or breast-feeding, think you may be pregnant or are planning to have a baby, ask your doctor or pharmacist for advice before using this medicine.

Dentalieve Toothache Relief Gel contains propylene glycol:

This medicine contains 77.5% propylene glycol which may cause gum or skin irritation.

3. How to use Dentalieve Toothache Relief Gel

For dental use:

Adults, the Elderly and Children over 2 years of age:

Apply a little gel accurately to the decayed part of the tooth using either a clean fingertip, or a cotton wool bud. Repeat after 20 minutes and then every 2 hours if necessary.

Not recommended for use on infants under 2 years of age.

If you have used too much gel or accidentally swallowed the gel:

Contact your doctor for advice.

4. Possible side effects

Like all medicines, this medicine can cause side effects, although not everybody gets them.

Contact of the gel with the skin, gums or mouth may cause temporary irritation, inflammation or ulceration. You may also become sensitive to Clove Oil.

Reporting of side effects

If you get any side effects, talk to your doctor, pharmacist or nurse.

This includes any possible side effects not listed in this leaflet.

You can also report side effects directly via the Yellow Card Scheme at www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side effects you can help provide more information on the safety of this medicine.

5. How to store Dentalieve Toothache Relief Gel

Keep this medicine out of the sight and reach of children.

Do not use this medicine after the expiry date which is stated on the carton or label after EXP. The expiry date refers to the last day of that month.

Do not store above 25°C.

Do not throw away any medicines via wastewater or household waste.

Ask your pharmacist how to throw away medicines you no longer use.

These measures will help protect the environment.

6. Contents of the pack and other information

What Dentalieve Toothache Relief Gel contains:

The active ingredient is Clove Oil 20% w/w. The other ingredients are Carbomers, Triethanolamine, Propylene Glycol and Peppermint Essence (containing Peppermint Oil and Propylene Glycol).

What Dentalieve Toothache Relief Gel looks like and contents of the pack:

Dentalieve Toothache Relief Gel is a clear, pale yellow gel. This medicine is available in a pack size of 10g.

Marketing Authorisation Holder and Manufacturer:

The Marketing Authorisation Holder is Crescent Pharma Limited, Key House, Sarum Hill, Basingstoke, RG21 8SR, UK.

The manufacturer is Thorpe Laboratories Ltd.,

Golf Road Industrial Estate, Mablethorpe, Lincolnshire, LN12 1NB, UK.

This leaflet was last revised in November 2025.

If you would like this leaflet in a different format please contact the Marketing Authorisation holder at the above address.