

PATIENT INFORMATION LEAFLET

PROFLAVINE 0.1 % W/W CREAM proflavine hemisulphate

Please read this leaflet carefully before you start to use this product. If you have any questions or are unsure about anything, ask your doctor or pharmacist.

What is in this leaflet

1. What Proflavine Cream is and what it is used for
2. What you need to know before you use Proflavine Cream
3. How to use Proflavine Cream
4. Possible side effects
5. How to store Proflavine Cream
6. Contents of the pack and other information

1. What Proflavine Cream is and what it is used for

For the treatment of infected wounds and for skin disinfection.

2. What you need to know before you use Proflavine Cream

- Keep out of the sight and reach of children.
- For external use only

Warnings and precautions

Do not use if you are allergic (hypersensitive) to any of the ingredients.
This medicine will stain clothing.

Do not smoke or go near naked flames - risk of severe burns. Fabric (clothing, bedding, dressings etc) that has been in contact with this product burns more easily and is a serious fire hazard. Washing clothing and bedding may reduce product build-up but not totally remove it

3. How to use Proflavine Cream

Directions for use:

Shake bottle before use.

For use by adults, the elderly, and children over 2 years old.

Apply directly onto the affected area, 2-3 times daily, or as directed by a doctor.

If accidentally swallowed, induce vomiting (drink salty water). Seek medical attention urgently.

If symptoms do not improve, seek medical advice. Avoid prolonged use (over one month).

Can be used when pregnant or breast feeding.

4. Possible side effects

Lanolin and chlorocresol may cause local skin reactions (e.g. contact dermatitis)

Reporting of side effects

If you get any side effects, talk to your doctor or pharmacist. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via the Yellow Card Scheme Website www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side effects you can help provide more information on the safety of this medicine.

5. How to store Proflavine Cream

Store below 25°C. Do not freeze.

Do not use after the expiry date shown.

Use within 3 months of opening.

6. Contents of the pack and other information

Contains the active ingredient: proflavine hemisulphate 0.1% w/w.

Other ingredients: liquid paraffin, yellow beeswax, wool fat (lanolin), chlorocresol, phenoxyethanol and purified water.

Marketing Authorisation Holder and Manufacturer

Product Licence Holder

Northumbria Pharma Ltd.,
Netpark, Thomas Wright Way
Sedgefield
County Durham TS21 3FD
UK

Manufacturer

Pharmasol Ltd.,
North Way,
Andover,
Hants, SP10 5AZ,
UK

PL 48259/0029

This leaflet was last revised in September 2019