

PACKAGE LEAFLET: INFORMATION FOR THE USER

BACTROBAN® 2% NASAL OINTMENT

(mupirocin calcium)

Your medicine is called as Bactroban 2% Nasal Ointment but will be referred to as Bactroban throughout the following leaflet.

Read all of this leaflet carefully before you start using this medicine because it contains important information for you.

- Keep this leaflet. You may need to read it again.
- If you have any further questions, ask your doctor, nurse or pharmacist.
- This medicine has been prescribed for you only. Do not pass it on to others. It may harm them, even if their signs of illness are the same as yours.
- If you get any side effects, talk to your doctor, nurse or pharmacist. This includes any possible side effects not listed in this leaflet. See section 4.

What is in this leaflet

- 1 What Bactroban is and what it is used for
- 2 What you need to know before you use Bactroban
- 3 How to use Bactroban
- 4 Possible side effects
- 5 How to store Bactroban
- 6 Contents of the pack and other information

1 WHAT BACTROBAN IS AND WHAT IT IS USED FOR

Bactroban 2% Nasal Ointment (called 'Bactroban' in this leaflet) contains the active substance mupirocin calcium. Bactroban is an antibiotic ointment.

It is used:

- to kill a group of bacteria in the nose called 'Staphylococci'
- this group includes MRSA (Methicillin Resistant *Staphylococcus aureus*)
- this ointment is for use in your nose only.

2 WHAT YOU NEED TO KNOW BEFORE YOU USE BACTROBAN

Do not use Bactroban:

- if you are allergic (hypersensitive) to mupirocin calcium, mupirocin or any of the other ingredients of this medicine (listed in section 6).

If you are not sure if this applies to you, do not use this medicine. Talk to your doctor, nurse or pharmacist before using Bactroban.

Warnings and precautions

- Bactroban can cause severe skin reactions or allergies. See 'Conditions to look out for' in Section 4.
- Thrush (a yeast infection) may develop if Bactroban is used for a long time. If this occurs, tell your doctor, pharmacist or nurse. Keep the ointment away from your eyes.
- If the ointment gets into your eyes accidentally, wash them thoroughly with water.

Other medicines and Bactroban

Tell your doctor, nurse or pharmacist if you are using, have recently used or might use any other medicines.

Pregnancy and breast-feeding

If you are pregnant or breast-feeding, think you may be pregnant or are planning to have a baby, ask your doctor or pharmacist for advice before using this medicine.

Driving and using machines

It is unlikely that Bactroban will affect your ability to drive or operate machinery.

3 HOW TO USE BACTROBAN

Always use this medicine exactly as your doctor has told you. You should check with your doctor or pharmacist if you are not sure.

Using this medicine

You usually apply Bactroban to your nose two to three times a day.

- 1 Wash and dry your hands.
- 2 Place a small amount of Bactroban, about the size of a match head, on your little finger.
- 3 Apply this to the inside of one nostril.
- 4 Repeat steps 2 and 3 for your other nostril.
- 5 Press the sides of your nose together to spread the ointment around the nostril.
- 6 Replace the cap on the tube and wash your hands.

A cotton bud can be used instead of your little finger to apply the ointment, particularly in infants or the very ill.

How long should you use Bactroban for?

Use Bactroban for as long as your doctor has told you. If you are not sure, ask your doctor, nurse or pharmacist. The bacteria are normally cleared from your nose within 5 to 7 days of starting treatment.

If you swallow any Bactroban

If you swallow any of the ointment, speak to your doctor, nurse or pharmacist for advice.

If you forget to use Bactroban

- If you forget to apply Bactroban, apply it as soon as you remember.
- If your next dose is due within an hour, skip the missed dose.
- Do not use a double dose to make up for a forgotten dose.

If you stop using Bactroban

If you stop using Bactroban too early, not all the bacteria may have been killed or they may continue to grow. Ask your doctor, nurse or pharmacist when to stop using the ointment.

If you have any further questions on the use of this product, ask your doctor, nurse or pharmacist.

4 POSSIBLE SIDE EFFECTS

Like all medicines, this medicine can cause side effects, although not everybody gets them.

Conditions to look out for

Severe skin reactions or allergies:

These are very rare in people using Bactroban. Signs include:

- raised and itchy rash
 - swelling, sometimes of the face or mouth, causing difficulty in breathing
 - collapse or loss of consciousness.
- **Contact a doctor immediately** if you get any of these symptoms. Stop using Bactroban
- If you develop a severe skin reaction or an allergy:
 - wash off the ointment
 - stop using it and
 - tell your doctor as soon as possible.

On rare occasions, medicines like Bactroban can cause inflammation of the colon (large intestine), causing diarrhoea, usually with blood and mucus, stomach pain, fever (*pseudomembranous colitis*).

→ **Tell your doctor as soon as possible** if you get any of these symptoms.

The following side effects may happen with this medicine:

Uncommon (may affect up to 1 in 100 people)

- Itching, redness, burning, tingling or stinging of the nose.

Very rare (may affect up to 1 in 10,000 people)

- Some people can develop a skin reaction or allergy that is severe. The signs can include a rash, itchiness, redness or soreness.

Reporting of side effects

If you get any side effects, talk to your doctor or pharmacist. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via the Yellow Card Scheme at: www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the **Google Play** or **Apple App Store**. By reporting side effects, you can help provide more information on the safety of this medicine.

5 HOW TO STORE BACTROBAN

- Keep out of the sight and reach of children.
- Store at room temperature.
- Do not use Bactroban after the expiry date which is stated on the carton and blister. The expiry date refers to the last day of that month.
- If the medicine becomes discoloured or shows any other signs of deterioration, you should seek the advice of your pharmacist who will tell you what to do.
- Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

6 CONTENTS OF THE PACK AND OTHER INFORMATION

What Bactroban contains

- The active substance is mupirocin 2% w/w (as mupirocin calcium),
- Bactroban also includes the following: Vaseline and glycerol ester

What Bactroban looks like and contents of the pack

Bactroban is a white ointment in an aluminium tube.

Bactroban is available as a tube containing 3g of ointment.

Product Licence holder

Procured from within the EU and repackaged by the Product Licence holder: S&M Medical Ltd, Chemilines House, Alperton Lane, Wembley, HA0 1DX.

Manufacturer

This product is manufactured by: Glaxo Wellcome Operations, Harmire Road, Barnard Castle, DL12 8DT, UK.

POM PL: 19488/1593

Leaflet revision date: 23 April 2020

Blind or partially sighted? Is this leaflet hard to see or read? Call 02087997607 to obtain the leaflet in large print, tape, CD or Braille.

Bactroban® is a registered trade mark of Glaxo Group Limited, UK.

PACKAGE LEAFLET: INFORMATION FOR THE USER

MUPIROCIN 2% NASAL OINTMENT
(mupirocin calcium)

Your medicine is called as Mupirocin 2% Nasal Ointment but will be referred to as Mupirocin Ointment throughout the following leaflet.

Read all of this leaflet carefully before you start using this medicine because it contains important information for you.

- Keep this leaflet. You may need to read it again.
- If you have any further questions, ask your doctor, nurse or pharmacist.
- This medicine has been prescribed for you only. Do not pass it on to others. It may harm them, even if their signs of illness are the same as yours.
- If you get any side effects, talk to your doctor, nurse or pharmacist. This includes any possible side effects not listed in this leaflet. See section 4.

What is in this leaflet

- 1 What Mupirocin Ointment is and what it is used for
- 2 What you need to know before you use Mupirocin Ointment
- 3 How to use Mupirocin Ointment
- 4 Possible side effects
- 5 How to store Mupirocin Ointment
- 6 Contents of the pack and other information

1 WHAT MUPIROCIN OINTMENT IS AND WHAT IT IS USED FOR

Mupirocin Ointment 2% Nasal Ointment (called 'Mupirocin Ointment' in this leaflet) contains the active substance mupirocin calcium. Mupirocin Ointment is an antibiotic ointment.

It is used:

- to kill a group of bacteria in the nose called 'Staphylococci'
- this group includes MRSA (Methicillin Resistant *Staphylococcus aureus*)
- this ointment is for use in your nose only.

2 WHAT YOU NEED TO KNOW BEFORE YOU USE MUPIROCIN OINTMENT

Do not use Mupirocin Ointment:

- if you are allergic (hypersensitive) to mupirocin calcium, mupirocin or any of the other ingredients of this medicine (listed in section 6).

If you are not sure if this applies to you, do not use this medicine. Talk to your doctor, nurse or pharmacist before using Mupirocin Ointment.

Warnings and precautions

- Mupirocin Ointment can cause severe skin reactions or allergies. See 'Conditions to look out for' in Section 4.
- Thrush (a yeast infection) may develop if Mupirocin Ointment is used for a long time. If this occurs, tell your doctor, pharmacist or nurse.
- Keep the ointment away from your eyes.
- If the ointment gets into your eyes accidentally, wash them thoroughly with water.

Other medicines and Mupirocin Ointment

Tell your doctor, nurse or pharmacist if you are using, have recently used or might use any other medicines.

Pregnancy and breast-feeding

If you are pregnant or breast-feeding, think you may be pregnant or are planning to have a baby, ask your doctor or pharmacist for advice before using this medicine.

Driving and using machines

It is unlikely that Mupirocin Ointment will affect your ability to drive or operate machinery.

3 HOW TO USE MUPIROCIN OINTMENT

Always use this medicine exactly as your doctor has told you. You should check with your doctor or pharmacist if you are not sure.

Using this medicine

You usually apply Mupirocin Ointment to your nose two to three times a day.

- 1 Wash and dry your hands.
- 2 Place a small amount of Mupirocin Ointment, about the size of a match head, on your little finger.
- 3 Apply this to the inside of one nostril.
- 4 Repeat steps 2 and 3 for your other nostril.
- 5 Press the sides of your nose together to spread the ointment around the nostril.
- 6 Replace the cap on the tube and wash your hands.

A cotton bud can be used instead of your little finger to apply the ointment, particularly in infants or the very ill.

How long should you use Mupirocin Ointment for?

Use Mupirocin Ointment for as long as your doctor has told you. If you are not sure, ask your doctor, nurse or pharmacist. The bacteria are normally cleared from your nose within 5 to 7 days of starting treatment.

If you swallow any Mupirocin Ointment

If you swallow any of the ointment, speak to your doctor, nurse or pharmacist for advice.

If you forget to use Mupirocin Ointment

- If you forget to apply Mupirocin Ointment, apply it as soon as you remember.
- If your next dose is due within an hour, skip the missed dose.
- Do not use a double dose to make up for a forgotten dose.

If you stop using Mupirocin Ointment

If you stop using Mupirocin Ointment too early, not all the bacteria may have been killed or they may continue to grow. Ask your doctor, nurse or pharmacist when to stop using the ointment.

If you have any further questions on the use of this product, ask your doctor, nurse or pharmacist.

4 POSSIBLE SIDE EFFECTS

Like all medicines, this medicine can cause side effects, although not everybody gets them.

Conditions to look out for

Severe skin reactions or allergies:

These are very rare in people using Mupirocin Ointment. Signs include:

- raised and itchy rash
- swelling, sometimes of the face or mouth, causing difficulty in breathing
- collapse or loss of consciousness.

→ **Contact a doctor immediately** if you get any of these symptoms. Stop using Mupirocin Ointment

- If you develop a severe skin reaction or an allergy:

- wash off the ointment
- stop using it and
- tell your doctor as soon as possible.

On rare occasions, medicines like Mupirocin Ointment can cause inflammation of the colon (large intestine), causing diarrhoea, usually with blood and mucus, stomach pain, fever (*pseudomembranous colitis*).

→ **Tell your doctor as soon as possible** if you get any of these symptoms.

The following side effects may happen with this medicine:

Uncommon (may affect up to 1 in 100 people)

- Itching, redness, burning, tingling or stinging of the nose.

Very rare (may affect up to 1 in 10,000 people)

- Some people can develop a skin reaction or allergy that is severe. The signs can include a rash, itchiness, redness or soreness.

Reporting of side effects

If you get any side effects, talk to your doctor or pharmacist. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via the Yellow Card Scheme at: www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the **Google Play** or **Apple App Store**. By reporting side effects, you can help provide more information on the safety of this medicine.

5 HOW TO STORE MUPIROCIN OINTMENT

- Keep out of the sight and reach of children.
- Store at room temperature.
- Do not use Mupirocin Ointment after the expiry date which is stated on the carton and blister. The expiry date refers to the last day of that month.
- If the medicine becomes discoloured or shows any other signs of deterioration, you should seek the advice of your pharmacist who will tell you what to do.
- Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

6 CONTENTS OF THE PACK AND OTHER INFORMATION

What Mupirocin Ointment contains

- The active substance is mupirocin 2% w/w (as mupirocin calcium),
- Mupirocin Ointment also includes the following: Vaseline and glycerol ester

What Mupirocin Ointment looks like and contents of the pack

Mupirocin Ointment is a white ointment in an aluminium tube.

Mupirocin Ointment is available as a tube containing 3g of ointment.

Product Licence holder

Procured from within the EU and repackaged by the Product Licence holder: S&M Medical Ltd, Chemilines House, Alperton Lane, Wembley, HA0 1DX.

Manufacturer

This product is manufactured by: Glaxo Wellcome Operations, Harmire Road, Barnard Castle, DL12 8DT, UK.

POM PL: 19488/1593

Leaflet revision date: 23 April 2020

Blind or partially sighted? Is this leaflet hard to see or read? Call 02087997607 to obtain the leaflet in large print, tape, CD or Braille.