

34x20mm
BN & EXP to be overprinted


Back of front top panel
108 mm

keyline text free area

106 mm


Peel Here

105 mm



Braille Translation:

Numark Advance
Heartburn &
Indigestion
Relief Aniseed
Oral Suspension



PACKAGE LEAFLET: INFORMATION FOR THE USER
Numark Advance Heartburn & Indigestion Relief Aniseed 1000 mg/200 mg/10 ml Oral Suspension
sodium alginate, potassium hydrogen carbonate

Read all of this leaflet carefully before you start taking this medicine because it contains important information for you.
Always take this medicine exactly as described in this leaflet or as your doctor or pharmacist has told you.

- Keep this leaflet. You may need to read it again.
- Ask your pharmacist if you need more information or advice.
- If you get any side effects, talk to your pharmacist. This includes any possible side effects not listed in this leaflet. See section 4.

You must talk to a doctor if you do not feel better or if you feel worse after 7 days.

In this leaflet:
1. What Numark Advance Aniseed is and what it is used for
2. What you need to know before you take Numark Advance Aniseed
3. How to take Numark Advance Aniseed
4. Possible side effects
5. How to store Numark Advance Aniseed
6. Contents of the pack and other information

1. WHAT NUMARK ADVANCE ANISEED IS AND WHAT IT IS USED FOR
Numark Advance Heartburn & Indigestion Relief Aniseed 1000 mg/200 mg/10 ml Oral Suspension (referred to as 'Numark Advance Aniseed' throughout this leaflet) belongs to a group of medicines called "reflux suppressants". This medicine forms a protective layer that floats on top of the stomach contents. This layer prevents reflux and keeps the stomach contents away from the lining of the food pipe to relieve symptoms of heartburn and acid indigestion.

105 mm

It can also be used to relieve the symptoms of hiatus hernia (protrusion of muscle through a muscle wall), reflux oesophagitis (inflamed foodpipe) and symptoms of hoarseness and other voice disorders, sore throat and cough associated with reflux. It can also be taken to control heartburn symptoms which may occur when taking, or following withdrawal of medication to reduce stomach acid such as Proton Pump Inhibitors (PPIs) or H2 Antagonists.

2. WHAT YOU NEED TO KNOW BEFORE YOU TAKE NUMARK ADVANCE ANISEED
Do not take Numark Advance Aniseed if you:

- are allergic (hypersensitive) to any of the ingredients in this medicine (listed in section 6).

Warnings and precautions:
This medicine is high in sodium as it contains 106 mg sodium (found in table salt) in each 10 ml. This is equivalent to 5.3 % of the recommended maximum daily intake for sodium.

- The maximum recommended daily dose of this medicinal product contains 424 mg sodium (found in table salt). This is equivalent to 21 % of the adult recommended maximum daily intake for sodium.
- This medicine contains 78 mg potassium per 10 ml dose. To be taken into consideration by patients on a controlled potassium diet.
- Talk to your doctor or pharmacist if you need this product on a daily basis especially if you have been advised to follow a low salt (sodium) diet, or if you suffer or have suffered from significant kidney or heart disease, as certain salts could interfere with these diseases.

Taking other medicines:
Please tell your doctor or pharmacist if you are taking or have recently taken any other medicines, including medicines obtained without prescription. Wait at least 2 hours between taking this medicine and other medicines such as tetracyclines, fluoroquinolones (types of antibiotics), iron salts, thyroid hormones, chloroquine (a medication used to prevent malaria), bisphosphonates (a medication used to treat osteoporosis) and estramustine (a medication to treat prostate cancer).

106 mm

Pregnancy and breast-feeding
This medicine can be used during pregnancy and breast-feeding, however it is recommended to limit the treatment duration as much as possible.

Driving and using machines
There are no known effects of this medicine on ability to drive or operate machinery.

Important information about some of the ingredients of Numark Advance Aniseed
This medicine also contains:
• ethyl (E214), propyl (E216) and butyl parahydroxybenzoates, which may cause allergic reactions, possibly delayed

3. HOW TO TAKE NUMARK ADVANCE ANISEED
Check that the cap seal is unbroken before first using this product.
To be taken by mouth, after meals and at bedtime. Shake bottle well before use. If you are unsure how to use this medicine, check with your doctor or pharmacist.

Adults including the elderly and children 12 years and over:	5 – 10 ml (one to two 5 ml spoonfuls) after meals and at bedtime
Children under 12 years:	Should only be taken on medical advice

WARNING: DO NOT EXCEED THE STATED DOSE

If you take more of this medicine than you should
If you take too much of this product you may feel bloated and experience some abdominal discomfort. It is unlikely to cause you any harm, but please consult your doctor or pharmacist if this doesn't go away.

Top visible panel
108 mm

If you forget to take this medicine
If you forget to take your medicine, take it as soon as you remember. **Do not** take a double dose to make up for the forgotten dose.

If symptoms persist after 7 days consult your doctor.

4. POSSIBLE SIDE EFFECTS
Like all medicines, this product can cause side effects, although not everybody gets them. Very rarely (less than 1 in 10,000 patients) there is a chance of an allergic reaction to the ingredients. Symptoms of this may include difficulty breathing, hives, rash, itching and swelling of the face, lips, tongue or throat. **If you experience these or any other symptoms, STOP taking this product and consult your doctor immediately.**
Uncommonly reported side effects are diarrhoea, nausea and vomiting.

Reporting of side effects:
If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via the Yellow Card Scheme at www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side effects you can help provide more information on the safety of this medicine.

5. HOW TO STORE NUMARK ADVANCE ANISEED
Keep out of the sight and reach of children.
Do not store above 25°C. Do not refrigerate or freeze.
Do not use this product after the expiry date which is stated on the pack. The expiry date refers to the last day of that month. This product should be used within 3 months of first opening.
Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

6. CONTENTS OF THE PACK AND OTHER INFORMATION
What Numark Advance Aniseed contains:

- The **active ingredients** are: Sodium alginate 1000 mg/10 ml and Potassium hydrogen carbonate 200 mg/10 ml.
- The **other ingredients** are: Calcium Carbonate, Carbomer, Sodium Hydroxide, Saccharin Sodium, Ethyl Parahydroxybenzoate (E214), Propyl Parahydroxybenzoate (E216), Butyl Parahydroxybenzoate, Isopropyl Alcohol, Star Anise Oil and Purified Water (see end of Section 2 for further information).


What Numark Advance Aniseed looks like and contents of the pack
This medicine is an aniseed flavoured white or cream coloured suspension. It comes in amber glass bottles of 150 ml, 200 ml, 250 ml and 300 ml with white polypropylene caps. Not all pack sizes may be marketed.

Manufacturer
Pinewood Laboratories Ltd, Ballymacarby, Clonmel, Co. Tipperary, Ireland.
This leaflet was last updated in December 2025.


Other formats:
To listen to or request a copy of this leaflet in Braille, large print or audio please call, free of charge: 0800 198 5000 (UK only).
Please be ready to give the following information:

Product Name	Reference Number
Numark Advance Heartburn & Indigestion Relief Aniseed 1000 mg/200 mg/10 ml Oral Suspension	PL 04917/0151

This is a service provided by the Royal National Institute of Blind People.



250ml



Back of front top panel
108 mm



106 mm

105 mm

PACKAGE LEAFLET: INFORMATION FOR THE USER
Numark Advance Heartburn & Indigestion Relief Aniseed 1000 mg/200 mg/10 ml Oral Suspension
 sodium alginate, potassium hydrogen carbonate

Read all of this leaflet carefully before you start taking this medicine because it contains important information for you.
 Always take this medicine exactly as described in this leaflet or as your doctor or pharmacist has told you.

- Keep this leaflet. You may need to read it again.
- Ask your pharmacist if you need more information or advice.
- If you get any side effects, talk to your pharmacist. This includes any possible side effects not listed in this leaflet. See section 4.

You must talk to a doctor if you do not feel better or if you feel worse after 7 days.

In this leaflet:

1. What Numark Advance Aniseed is and what it is used for
2. What you need to know before you take Numark Advance Aniseed
3. How to take Numark Advance Aniseed
4. Possible side effects
5. How to store Numark Advance Aniseed
6. Contents of the pack and other information

1. WHAT NUMARK ADVANCE ANISEED IS AND WHAT IT IS USED FOR
 Numark Advance Heartburn & Indigestion Relief Aniseed 1000 mg/200 mg/10 ml Oral Suspension (referred to as 'Numark Advance Aniseed' throughout this leaflet) belongs to a group of medicines called "reflux suppressants". This medicine forms a protective layer that floats on top of the stomach contents. This layer prevents reflux and keeps the stomach contents away from the lining of the food pipe to relieve symptoms of heartburn and acid indigestion.

105 mm

It can also be used to relieve the symptoms of hiatus hernia (protrusion of muscle through a muscle wall), reflux oesophagitis (inflamed foodpipe) and symptoms of hoarseness and other voice disorders, sore throat and cough associated with reflux. It can also be taken to control heartburn symptoms which may occur when taking, or following withdrawal of medication to reduce stomach acid such as Proton Pump Inhibitors (PPIs) or H2 Antagonists.

2. WHAT YOU NEED TO KNOW BEFORE YOU TAKE NUMARK ADVANCE ANISEED
Do not take Numark Advance Aniseed if you:

- are allergic (hypersensitive) to any of the ingredients in this medicine (listed in section 6).

Warnings and precautions:
 This medicine is high in sodium as it contains 106 mg sodium (found in table salt) in each 10 ml. This is equivalent to 5.3 % of the recommended maximum daily intake for sodium.

- The maximum recommended daily dose of this medicinal product contains 424 mg sodium (found in table salt). This is equivalent to 21 % of the adult recommended maximum daily intake for sodium.
- This medicine contains 78 mg potassium per 10 ml dose. To be taken into consideration by patients on a controlled potassium diet.
- Talk to your doctor or pharmacist if you need this product on a daily basis especially if you have been advised to follow a low salt (sodium) diet, or if you suffer or have suffered from significant kidney or heart disease, as certain salts could interfere with these diseases.

Taking other medicines:
 Please tell your doctor or pharmacist if you are taking or have recently taken any other medicines, including medicines obtained without prescription. Wait at least 2 hours between taking this medicine and other medicines such as tetracyclines, fluoroquinolones (types of antibiotics), iron salts, thyroid hormones, chloroquine (a medication used to prevent malaria), bisphosphonates (a medication used to treat osteoporosis) and estramustine (a medication to treat prostate cancer).

106 mm

Pregnancy and breast-feeding
 This medicine can be used during pregnancy and breast-feeding, however it is recommended to limit the treatment duration as much as possible.

Driving and using machines
 There are no known effects of this medicine on ability to drive or operate machinery.

Important information about some of the ingredients of Numark Advance Aniseed
 This medicine also contains:

- ethyl (E214), propyl (E216) and butyl parahydroxybenzoates, which may cause allergic reactions, possibly delayed

3. HOW TO TAKE NUMARK ADVANCE ANISEED
 Check that the cap seal is unbroken before first using this product.

To be taken by mouth, after meals and at bedtime. Shake bottle well before use. If you are unsure how to use this medicine, check with your doctor or pharmacist.

Adults including the elderly and children 12 years and over:	5 – 10 ml (one to two 5 ml spoonfuls) after meals and at bedtime
Children under 12 years:	Should only be taken on medical advice

WARNING: DO NOT EXCEED THE STATED DOSE

If you take more of this medicine than you should
 If you take too much of this product you may feel bloated and experience some abdominal discomfort. It is unlikely to cause you any harm, but please consult your doctor or pharmacist if this doesn't go away.

Top visible panel
108 mm

If you forget to take this medicine
 If you forget to take your medicine, take it as soon as you remember. **Do not** take a double dose to make up for the forgotten dose.

If symptoms persist after 7 days consult your doctor.

4. POSSIBLE SIDE EFFECTS
 Like all medicines, this product can cause side effects, although not everybody gets them. Very rarely (less than 1 in 10,000 patients) there is a chance of an allergic reaction to the ingredients. Symptoms of this may include difficulty breathing, hives, rash, itching and swelling of the face, lips, tongue or throat. **If you experience these or any other symptoms, STOP taking this product and consult your doctor immediately.**

Uncommonly reported side effects are diarrhoea, nausea and vomiting.

Reporting of side effects:
 If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via the Yellow Card Scheme at www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side effects you can help provide more information on the safety of this medicine.

5. HOW TO STORE NUMARK ADVANCE ANISEED
Keep out of the sight and reach of children.
 Do not store above 25°C. Do not refrigerate or freeze.

Do not use this product after the expiry date which is stated on the pack. The expiry date refers to the last day of that month. This product should be used within 3 months of first opening.

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

6. CONTENTS OF THE PACK AND OTHER INFORMATION
What Numark Advance Aniseed contains:

- The **active ingredients** are: Sodium alginate 1000 mg/10 ml and Potassium hydrogen carbonate 200 mg/10 ml.
- The **other ingredients** are: Calcium Carbonate, Carbomer, Sodium Hydroxide, Saccharin Sodium, Ethyl Parahydroxybenzoate (E214), Propyl Parahydroxybenzoate (E216), Butyl Parahydroxybenzoate, Isopropyl Alcohol, Star Anise Oil and Purified Water (see end of Section 2 for further information).

What Numark Advance Aniseed looks like and contents of the pack
 This medicine is an aniseed flavoured white or cream coloured suspension. It comes in amber glass bottles of 150 ml, 200 ml, 250 ml and 300 ml with white polypropylene caps. Not all pack sizes may be marketed.

Manufacturer
 Pinewood Laboratories Ltd., Ballymacarbray, Clonmel, Co. Tipperary, Ireland.

This leaflet was last updated in December 2025.

Other formats:
 To listen to or request a copy of this leaflet in Braille, large print or audio please call, free of charge: 0800 198 5000 (UK only).
 Please be ready to give the following information:

Product Name	Reference Number
Numark Advance Heartburn & Indigestion Relief Aniseed 1000 mg/200 mg/10 ml Oral Suspension	PL 04917/0151

This is a service provided by the Royal National Institute of Blind People.

NUMARK

ADVANCE

Heartburn & Indigestion Relief Aniseed
1000 mg/200 mg/10 ml Oral Suspension
 Sodium Alginate
 Potassium Hydrogen Carbonate

SUGAR FREE

ANISEED FLAVOUR

EXTRA STRENGTH
 Provides fast, effective relief from heartburn, indigestion and acid reflux

250ml

Dosage:
 Adults, including the elderly and children 12 years and over: take 5-10 ml (one to two 5 ml spoonfuls) after meals and at bedtime. Children under 12 years: should only be taken on medical advice.

If symptoms persist after 7 days consult your doctor.
 Each 10 ml of the oral suspension contains 1000 mg of sodium alginate and 200 mg of potassium hydrogen carbonate. Also contains sodium, potassium, ethyl (E214), propyl (E216) and butyl parahydroxybenzoates. Read the attached leaflet carefully before use. High in sodium - see leaflet for further information.

To be taken by mouth. Shake bottle well before use.

Keep out of the sight and reach of children. Store below 25°C. Do not use after the expiry date shown on the label. Do not refrigerate or freeze.

Marketing Authorisation Holder:
 Pinewood Laboratories Ltd., Ballymacarbray, Clonmel, Co. Tipperary, Ireland. PL 04917/0151 UK only

Distributed by: Numark, Rivington Road, Runcorn, WA73DJ, UK. 23LLO6109PW

NUMARK


NUMARK ADVANCED HEARTBURN & INDIGESTION ORAL SUSPENSION ANISEED 250ML
 CREATED: 24.08.2025
 REV: 001 VERSION: 008
 ARTWORK FONTS:
 Campton Semibold 13pt & 7pt
 Campton Medium 7pt
 Campton Book 7pt
CAMPTON EXTRABOLD 7PT

COLOURS

BLACK	P7714 C	P7485 C	P3517 C	P187 C	P424 C
-------	---------	---------	---------	--------	--------

CUTTER CONSTRUCTION:


CUTTER	TEXT FREE	BRITISH STANDARD	BRAILLE
--------	-----------	------------------	---------



Back of front top panel
108 mm

106 mm

105 mm



105 mm

106 mm

Top visible panel
108 mm



Braille Translation:

Numark Advance
Heartburn &
Indigestion
Relief Aniseed
Oral Suspension

