

If you need more advice ask
your pharmacist.

Chloraspray™

Severe Sore Throat Relief

2% w/v Oromucosal spray

Peppermint Flavour

Chloraspray™

Severe Sore Throat Relief

2% w/v Oromucosal spray
Lidocaine Hydrochloride
Monohydrate



Pharmacy only
Medicine

Relieves severe
sore throats
Numbs pain
quickly

over 150 sprays

By reporting side effects you
can help provide more
information on the safety of
this medicine.
**Keep all medicines out of the
sight and reach of children.**
Use by the date on the side
of the carton.

Active ingredient: This
oromucosal spray contains
Lidocaine Hydrochloride
Monohydrate 2% w/v.
Also contains: purified water,
ethanol (30 vol %), sorbitol
(E420), sodium citrate,
saccharin, quinoline yellow
(E104), patent blue V (E131),
flavours (peppermint,
levomenthol, aniseed).
PL 00014/0430 [P]
Text prepared 03/2025
Manufactured by BCM Ltd
Nottingham NG2 3AA for the
MAH: The Boots Company
PLC Nottingham NG2 3AA
Distributor: Prestige Brands
(UK) Ltd, 5-7 London Rd,
St. Albans, AL1 1LA, UK
Contains approximately
150 sprays.

Lot:

Use by:

xxxxxx

Read all of this carton for full instructions.

Uses: An oromucosal spray to provide direct and soothing
relief from the pain of severe sore throats.

Before you use this medicine

Do not use:

- If you are allergic to any of the ingredients
- If you have asthma, or difficulty breathing
- If you are under 12 years of age

Talk to your pharmacist or doctor:

- If you are receiving any medical treatment
- If you have a high fever, headache, feel sick or are being
sick as well as having a sore throat
- If you are pregnant or breastfeeding

This spray may cause your tongue to become numb. You
must take care when eating or drinking hot foods or drinks.

How to use this medicine

Use at the back of the throat only.

Do not breathe in when you use the spray, or get the
spray in your eyes

To spray: Swing the nozzle through 90° and press. Before
first use or after storing the spray for a long time: Press
the spray 3 times away from the face into a sink.

Age	How much	How often
Adults and children of 12 years and over	Three sprays at the back of the throat	Every 3 hours, if you need to. Don't use more than 6 times in any 24 hours.

Do not use for children under 12 years. Do not use more
than the amount recommended above.

If you use too much: Talk to a doctor straight away.

Take your medicine with you. If symptoms do
not go away, talk to your doctor.

20ml e

Possible side effects

Most people will not have
problems, but some may get
some.

If you get any of these
serious side effects, stop
using the spray. See a doctor
at once:

- Difficulty in breathing,
swelling of the face, neck,
tongue or throat (severe
allergic reactions)

**Information about some of
the ingredients:**

Contains 60 mg sorbitol in
each 0.40 g dose. Contains
less than 1 mmol sodium (23
mg) per 0.40 g dose, that is to
say essentially 'sodium-free'.
Contains 120 mg of alcohol
(ethanol) in each 0.40 g
spray. The amount in each
0.40 g dose of this medicine is
equivalent to less than 6.0 ml
beer or 2.4 ml wine.

Reporting of side effects

If you get any side effects, talk
to your doctor, pharmacist or
nurse. This includes any
possible side effects not listed
on this carton. You can also
report side effects directly via
the Yellow Card Scheme
at: www.mhra.gov.uk/yellowcard
or search for MHRA
Yellow Card in the Apple app
or google Play Store.



23-20-096

UK Only

If you need more advice ask
your pharmacist.

Chloraspray™

Severe Sore Throat Relief

2% w/v Oromucosal spray

Peppermint Flavour

Chloraspray™

Severe Sore Throat Relief

2% w/v Oromucosal spray
Lidocaine Hydrochloride
Monohydrate



By reporting side effects you can help provide more information on the safety of this medicine.
Keep all medicines out of the sight and reach of children.
Use by the date on the side of the carton.

Active ingredient: This oromucosal spray contains Lidocaine Hydrochloride Monohydrate 2% w/v. Also contains: purified water, ethanol (50 vol %), sorbitol (E420), sodium citrate, saccharin, quinoline yellow (E104), patent blue V (E131), flavours (peppermint, levomenthol, aniseed).
PL 00014/0430 [P]
Text prepared 03/2025
Manufactured by BCM Ltd Nottingham NG2 3AA for the MAH: The Boots Company PLC Nottingham NG2 3AA
Distributor: Prestige Brands (UK) Ltd, 5-7 London Rd, St. Albans, AL1 1LA, UK
Contains approximately 150 sprays.

Lot:

Use by:

xxxxxx

Read all of this carton for full instructions.

Uses: An oromucosal spray to provide direct and soothing relief from the pain of severe sore throats.

Before you use this medicine

Do not use:

- If you are allergic to any of the ingredients
- If you have asthma, or difficulty breathing
- If you are under 12 years of age

Talk to your pharmacist or doctor.

- If you are receiving any medical treatment
- If you have a high fever, headache, feel sick or are being sick as well as having a sore throat.
- If you are pregnant or breastfeeding.

This spray may cause your tongue to become numb. You must take care when eating or drinking hot foods or drinks.

How to use this medicine

Use at the back of the throat only.

Do not breathe in when you use the spray, or get the spray in your eyes.

To spray: Hold the nozzle through your mouth and press. Before first use or after storing the spray for a long time: Press the spray 3 times away from the face into a sink.

Age	How much	How often
Adults and children of 12 years and over	Three sprays at the back of the throat	Every 3 hours, if you need to. Don't use more than 6 times in any 24 hours.

Do not use for children under 12 years. Do not use more than the amount recommended above.

If you use too much: Talk to a doctor straight away.

Take your medicine with you. If symptoms do not go away, talk to your doctor.

20ml e

Possible side effects

Most people will not have problems, but some may get some.

If you get any of these serious side effects, stop using the spray. See a doctor at once:

- Difficulty in breathing, swelling of the face, neck, tongue or throat (severe allergic reactions)

Information about some of the ingredients:

Contains 60 mg sorbitol in each 0.40 g dose. Contains less than 1 mmol sodium (23 mg) per 0.40 g dose, that is to say essentially 'sodium-free'. Contains 120 mg of alcohol (ethanol) in each 0.40 g spray. The amount in each 0.40 g dose of this medicine is equivalent to less than 6.0 ml beer or 2.4 ml wine.

Reporting of side effects

If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed on this carton. You can also report side effects directly via the Yellow Card Scheme at: www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Apple app or Google Play Store.

23-20-096




UK Only

chloraspray
severe
sore throat
relief
2 % w / v
oromucosal
spray



FRONT



BACK

